

JustPark EventPass Widget

Multi-Tab Integration Guide

Embed the JustPark EventPass Widget to display multiple venue listings on a single page, using tabbed navigation. This guide outlines two integration methods:

- **Recommended: Loader Script Integration (dynamic and responsive)**
- **Alternative: Static iFrame Integration**

01. Recommended Setup – Loader Script

This approach mounts the widget dynamically and automatically adjusts its height for responsiveness across devices.

HTML & Script Snippet

HTML

```
<!-- Tab 1 -->
<div id="jp-eventpass-container-1"></div>

<script src="https://eventpass.justpark.com/jp-eventpass-loader.js?version=0.0.1"></script>
<script>
  mountJPEventPass({
    mountNodeId: 'jp-eventpass-container-1',
    src: 'https://eventpass.justpark.com/{{CLIENT_URL_1}}/listings/events'
  });
</script>

<!-- Tab 2 -->
<div id="jp-eventpass-container-2"></div>

<script>
  mountJPEventPass({
    mountNodeId: 'jp-eventpass-container-2',
    src: 'https://eventpass.justpark.com/{{CLIENT_URL_2}}/listings/events'
  });
</script>
```

- Your unique `{{CLIENT_URL_1}}`, `{{CLIENT_URL_2}}` or additional `{{CLIENT_URL_X}}` values (for more tabs) will be provided by your Customer Success Manager.

Loader Configuration Options (Optional)

You can pass the following parameters to customize the widget behavior:

JavaScript

```
<!-- Tab 1 -->
<div id="jp-eventpass-container-1"></div>

<script src="https://eventpass.justpark.com/jp-eventpass-loader.js?version=0.0.1"></script>
<script>
  mountJPEventPass({
    mountNodeId: 'jp-eventpass-container-1', // Required: Unique ID for the mounting div
    src: 'https://eventpass.justpark.com/{{CLIENT_URL_1}}/listings/events' });
</script>

<!-- Tab 2 -->
<div id="jp-eventpass-container-2"></div>

<script>
  mountJPEventPass({
    mountNodeId: 'jp-eventpass-container-2', // Required: Unique ID for the mounting div
    src: 'https://eventpass.justpark.com/{{CLIENT_URL_2}}/listings/events' });
</script>
```

To Remove the Widget

Use the following script to clean up the widget instance:

HTML

```
<script> cleanupJPEventPass(); </script>
```

02. Alternative – Static iFrame Integration

Use this method if loader script integration is not feasible. Note that it requires a fixed height and may result in scroll or layout issues.

Static iFrame Snippet

HTML

```
<!-- Tab 1 -->
<iframe
  src="https://eventpass.justpark.com/{{CLIENT_URL_1}}/listings/events?iframe=true"
  width="100%" height="1080"
  title="Book Your Parking Pass – Client 1"
  loading="lazy">
  <p>Your browser does not support iframes.</p>
</iframe>

<!-- Tab 2 -->
<iframe
  src="https://eventpass.justpark.com/{{CLIENT_URL_2}}/listings/events?iframe=true"
  width="100%" height="1080"
  title="Book Your Parking Pass – Client 2"
  loading="lazy">
  <p>Your browser does not support iframes.</p>
</iframe>
```

03. Best Practices Summary

Use this method if loader script integration is not feasible. Note that it requires a fixed height and may result in scroll or layout issues.

Category	Recommendations
Security	Use HTTPS, apply <code>sandbox="allow-scripts allow-same-origin"</code>
Accessibility	Add a <code>title</code> attribute, include fallback content for unsupported browsers
Performance	Use <code>loading="lazy"</code>
Responsive Embed	Wrap iframe as below:

HTML

```
<div style="position:relative;width:100%;padding-bottom:56.25%">  
  <iframe style="position:absolute;width:100%;height:100%"></iframe>  
</div>
```

Want to See It in Action?

You can preview the widget by plugging in this demo link:

<https://eventpass.justpark.com/pledge-demosite/listings/events>